


# NIESR Monthly Covid-19 Tracker

New Cases declining again after school spill-over Tracker Number 25

4 November 2021



1.25 1.00 0.75 <u>~</u> 0.50 260 456 452 417 559 565 422 430 487 441 387 331 391 0.25 0.00 East Midlands England Scotland Northern Ireland South West Wales London North West **West Midlands** East of England North East South East forkshire and The Humber

**Figure 1 - R:** UK Regional R and Seven-day Case Counts per 100,000 Population

Bar chart shows point estimates of R and the ± 1 standard deviation confidence intervals.

The numbers in each bar represent the count of cases in the last seven days of the estimation sample per 100,000 population.

## **Main Points**

- We report R estimates and forecasts of new cases, hospital admissions and deaths for the nations and regions. The next tracker will be released on 2<sup>nd</sup> December.
- The R number remains below 1 in all UK nations and English regions except the North East (Figure 1).
- Looking at the trajectory of new cases across different age brackets for England
  we observe a noteworthy compositional change relative to the forecasts made
  four weeks ago. We highlighted then that cases in the school aged population
  were likely spilling over into the adult population. Now, both the 10-19 and over
  40 age groups are expected to decline over the coming two weeks whilst they
  were forecast to be flat or increasing previously (Figure 2).
- When the compositional change is netted out, new Covid-19 cases are forecast to decline in all English regions apart from the North East (Figure 3). Decreases can be expected in all UK nations (Figure 4).
- Hospital admissions are forecast to increase modestly. This represents a change from our previous forecast which had modest declines in admissions (Figure 5).
   Trend deaths are forecast to remain constant (Figure 6).

 The proportion of those over 12 who have received their first vaccination dose is now 87 per cent; 80 per cent have received their second dose as well. This summary figure conceals important heterogeneity across age brackets (Figure 7). Encouragingly, more than 50 per cent of those between 18 and 30 are now fully vaccinated.

"Hospital admissions are forecast to increase modestly in the coming weeks whilst deaths remain in the range they are currently despite the uptick in new cases observed through October. In terms of new cases, the recent increase among children in England due to schools reopening have spilled over into the adult population. However, four weeks on from our last tracker when we were forecasting increases in cases for those aged 40-64 we are now forecasting reductions. In addition, we had forecast modest increases in those aged 10-19 but are now forecasting a decrease."

**Dr Craig Thamotheram** 

Senior Economist - Macroeconomic Modelling and Forecasting

## **Results**

**Figure 2:** England Forecasts of New COVID-19 Cases by Age Brackets




Figure 2 provides forecasts of daily cases of Covid-19 for the period until mid-November for England by age brackets. Relative to forecasts made a four weeks ago, new cases are now forecast to be decreasing or flat in all age brackets. Notably, they were forecast to increase in those aged 40-64 and 10-19 previously.

Figure 3 provides forecasts of daily cases of Covid-19 for the period until the end of October for the regions of England, based on data released on the 2<sup>nd</sup> November.

There are likely to be modest declines in cases for all English regions apart from the North-East.

Figure 3 - Regional Forecasts of New COVID-19 Cases







Figure 4 provides forecasts of daily cases of Covid-19 for the period until mid-November for the four nations with data released on the 2<sup>nd</sup> November. The mid-August uptick in cases in Scotland is primarily due to increased testing associated with schools reopening.

Figure 4 - National Forecasts of New COVID-19 Cases









# **Northern Ireland**




Figure 5 provides forecasts of daily hospital admissions for Covid-19 and highlights the underlying number of new admissions to be expected until mid-November. Hospital admissions are forecast to increase modestly consistent with the increase in new cases through October.

**Figure 5 –** UK Forecast of Daily Covid-19 Hospital Admissions




Figure 6 provides forecasts of daily deaths due to Covid-19. Trend daily deaths are forecast to remain constant in the coming weeks.

Figure 6 - UK Forecast of Daily Covid-19 Deaths





Figure 7 provides data on the percentage of England's adult population that has been vaccinated broken down by age groups. It highlights the fact that the older population have now been fully vaccinated for a duration consistent with levels of antibody waning according to sero-prevalence <u>research</u>. However, at least 50 per cent of the younger age groups are now fully vaccinated.

**Figure 7 –** England Vaccination Percentages by Age Brackets



# Background

NIESR aims to set out projections of the future path of the Covid-19 epidemic in the United Kingdom, its constituent nations and the regions of England, based on current policies.

NIESR has been producing weekly updates on Thursdays, projecting new cases and estimating the R number using a class of time series models developed by Prof. Andrew Harvey and Dr. Paul Kattuman of Cambridge University; see <a href="Harvey and Kattuman (2020a)">Harvey and Kattuman (2020a)</a>. From June 3, 2021 onwards NIESR have been producing fortnightly updates on Thursdays, focusing on monitoring whether sudden increases observed are local spikes or are indicative of the start of a new wave.

The models generate forecasts by extracting changing trends from historical data. They are relatively simple and transparent, and their specifications can be assessed by standard statistical test procedures. The advantage of the time series approach is that it can adapt very quickly to the most recent information and hence produce timely estimates. This flexibility enables the effects of changes in policy, virus mutations and human behaviour to be tracked. The models are data driven and so are different from the structural models used by epidemiologists which rely on assumptions about transmission and behaviour; see Avery et al (2020).

A description of the methods used to produce these estimates and an evaluation of their forecasting performance can be found in Harvey, Kattuman, and Thamotheram (2021).

#### Data

Data: COVID-19 confirmed cases and deaths data are sourced from <a href="https://coronavirus.data.gov.uk">https://coronavirus.data.gov.uk</a>

Data on Covid-19 cases are reported by the government by 'specimen date' and by 'published date'. Specimen cases relate to the date when the sample was taken from the person being tested, while published cases relate to the first date when they are included in the published numbers. At the present time we regard the specimen date data as a more reliable indicator of the trend in new cases. The model based on specimen dated observations has better captured the effect of the sharp increase in testing on the day that schools reopened and also suffers less from data errors or revisions.

On 27 March 2021, 850 historic cases were removed due to a laboratory processing error. This affected specimen date data between 23 and 25 March in local authorities primarily in the North East and Yorkshire. The cumulative total number of people tested positive was revised down on 27 March 2021. Historic published date totals have not been changed. The downward correction on 27<sup>th</sup> March is mixed with the positive upward revisions of cases as more test results are returned over time making it impossible to date these corrections accurately. Thus, we cannot back out on which day these corrections were made. For published data, we choose to remove 300, 300 and 250 cases on 24, 25 and 26<sup>th</sup> of March respectively.

Between 2<sup>nd</sup> to the 5<sup>th</sup> April significant disruption to cases and deaths for Wales and Northern Ireland occurred. This was corrected on the 6<sup>th</sup> April but with a 48-hour reporting period. As the last date in the estimation sample for specimen cases is April 2<sup>nd</sup> we will decide how to account for this change in next week's forecast. We leave published cases unchanged.

On April 9<sup>th</sup> rapid LF tests that are confirmed as negative by Polymerase Chain Reaction (PCR) test within 3 days were removed. For published cases, we set 9<sup>th</sup> April as missing as no correction is applied to the historic data by Public Health England

#### Caveat

The model relies on historical data and does not incorporate future outlined changes in the underlying environment. Thus, it is important to read the forecasts in this context. For example, the current forecasts make no assumptions about the effect of reopening non-essential retail on increasing transmissions. On the other hand, the effect of the vaccine program will be in the opposite direction.

#### **Authors**

**Professor Andrew Harvey** is Emeritus Professor of Econometrics at the University of Cambridge and a Fellow of Corpus Christi College. He has published over 100 articles and is the author of four books: *The Econometric Analysis of Time Series* (1981), *Time Series Models* (1981), *Forecasting. Structural Time Series Models and the Kalman Filter* (1989) and *Dynamic models for Volatility and Heavy Tails* (2013). He is a Fellow of the British Academy and the Econometric Society.

**Dr Paul Kattuman** is a reader in Economics at Cambridge University. He has been a Senior Research Fellow at the University of Cambridge Department of Applied Economics, and a lecturer in economics at Durham. He has held Visiting Professorships at Université Paris 12 and Paris-Est Créteil and was appointed Grupo Santander Visiting Professor at Universidad Complutense de Madrid. He was visiting Faculty Scholar at the Kennedy School of Government, and at the Department of Statistics, both at Harvard University.

**Dr Craig Thamotheram** is a Senior Economist at NIESR. Prior to joining NIESR, he studied Engineering at Imperial and obtained a PhD in Economics at Warwick. He has work experience as a post-doc in macro and financial econometrics.

# **Bibliography**

Avery, C., W. Bossert, A. Clark, G. Ellison, and S. F. Ellison (2020). An economist's guide to epidemiology models of infectious disease. *Journal of Economic Perspectives* 34(4), 79–104.

Harvey, A. and P. Kattuman (2020a). Time series models based on growth curves with applications to forecasting coronavirus. <u>Harvard Data Science Review</u>, Special issue 1 - COVID -19. https://hdsr.mitpress.mit.edu/ pub/ozgjx0yn

Harvey, A. and P. Kattuman (forthcoming). A farewell to R: Time series models for tracking and forecasting epidemics. *Journal of the Royal Society Interface* 

Harvey, A., P. Kattuman, and C. Thamotheram (2021). Tracking the mutant: forecasting and nowcasting COVID-19 in the UK in 2021. *National Institute Economic Review*, 256, 110--126. https://doi.org/10.1017/nie.2021.12.

#### **Notes for Editors**

For further information please contact the NIESR Press Office: <a href="mailto:press@niesr.ac.uk">press@niesr.ac.uk</a> or Luca Pieri on 020 7654 1954 / <a href="mailto:l.pieri@niesr.ac.uk">l.pieri@niesr.ac.uk</a>

National Institute of Economic and Social Research 2 Dean Trench Street Smith Square London, SW1P 3HE United Kingdom

Switchboard Telephone Number: 020 7222 7665

Website: http://www.niesr.ac.uk